



**HAL**  
open science

## La Reunion Island (21S, 55.5E) SHADOZ/NDACC station: First re-processed ozonesonde data and comparisons with lidar measurements at the Maïdo Observatory

Françoise Posny, B.J. Johnson, Jean-Marc Metzger, Valentin Dufлот, Thierry Portafaix, Pieter R. Cullis, A. M. Thomson, J.C. Witte

### ► To cite this version:

Françoise Posny, B.J. Johnson, Jean-Marc Metzger, Valentin Dufлот, Thierry Portafaix, et al.. La Reunion Island (21S, 55.5E) SHADOZ/NDACC station: First re-processed ozonesonde data and comparisons with lidar measurements at the Maïdo Observatory. Quadriennial Ozone Symposium , Sep 2016, Edinburgh, United Kingdom. 2016. hal-01447020

**HAL Id: hal-01447020**

**<https://hal.univ-reunion.fr/hal-01447020v1>**

Submitted on 2 Feb 2017

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# La Reunion Island (21°S, 55°) SHADOZ/NDACC station

First reprocessed ozonesonde data and comparisons with lidar measurements at the Maïdo Observatory



F. Posny (1), B.J. Johnson (2), J.M. Metzger (3), V. Duflot (1), T. Portafaix (1), P. Cullis (4), A.M. Thompson (5) and J.C. Witte (6)  
 (1) LACy/UMR 8105/La Reunion University, FR, (2) NOAA/ESRL/GMD US (3) UMS 3365, OSU-Reunion, FR, (4) CIRES at NOAA/ESRL/GMD US, (5) NASA/GSFC, US, (6) SSAI at NASA/GSFC, ACD, US.

## ★ First reprocessed Ozone data (1998-2015)





SHADOZ Sites, URL=<http://croc.gsfc.nasa.gov/shadoz>



!! Preliminary results !!



NDACC-SHADOZ station : 20.9°S 55.5° 8 masl (Gillat airport)



Applied Corrections		La Reunion, France (1998 - 2015)	
Solution	Type	Timeline	Correction (J. Witte)
	1% Full Buffer with ENSCI	First 8 records 1998	Convert to ENSCI/1% -> ENSCI/0.5%: R=0.96, P <sub>≥30hPa</sub> R=0.90+0.041Log <sub>10</sub> (P), P < 30 hPa ENSCI/0.5% = R * ENSCI1% ΔS = ± 0.05 entire profile
	0.5% Half Buffer	Entire record	α (absorption efficiency) = 1.0044-4.4x10 <sup>-6</sup> (P <sub>air</sub> ), 100 < P <sub>air</sub> < 1050 hPa
	0.5% Half Buffer	Entire record	α (absorption efficiency) = 1.0044-4.4x10 <sup>-6</sup> (P <sub>air</sub> ), 100 < P <sub>air</sub> < 1050 hPa
	SPC with 0.5% Half Buffer	40 (1999-2000)	Convert SPC/0.5% -> ENSCI/0.5% R=0.96, P <sub>≥30hPa</sub> R=0.764+0.133Log <sub>10</sub> (P), P < 30 hPa ENSCI/0.5% = SPC0.5% / R ΔS = ± 0.05 entire profile
	IB0, IB1, and IB2 recorded but mostly not applied.		Use IB=IB2: Thresholds: IB < 0.05 μA ± 0.02 μA IB ≥ 0.05 μA ± 0.04 μA
	4AKOMHYR1986		SAKOMHYR1995
	Not applied but Lab T, P, RH available		Used: T=25C±5, RH=50%±25, P=1000hPa 1.58%, ΔC <sub>ph</sub> = 0.003
	RS80, MODEM		None (Internal pumpT)
	RS80		No GPS data
	MODEM		None (GPS altitude not available)

## ★ MORGANE Campaign April-July 2015 (Maïdo ObservatoRy Gas and Aerosol Ndacc Experiment) : blind test intercomparison between lidars (T°, O3, and water vapour) from OPAR and from NASA/GSFC mobile laboratory in view of the (re)labellisation of OPAR lidars in the NDACC :




Maïdo Observatory : 21.0°S 55.4°E 2154 masl


63 day and night balloons launched : 10 ozonesondes, 20 M10 and RS92 radiosondes, 7 CFH, 5 COBALD, 1 LOAC

- Intercomparisons between Ozonesondes (ECC), Tropospheric (LiO3T) and Stratospheric (DIAL) lidars  
 Comparisons between individual profiles show a mean agreement from 10.8% to 19.4% in the troposphere and from 3.1% to 10.3% in the stratosphere
- Comparison of the total ozone integrated column amount between the ozonesonde and OMI : from -6.0% to +5.9% and La Reunion SAOZ : from -4.0% to +4.1%

! In troposphere the displacement of the sonde trajectory with respect to the laser beam position could be large !




Left: mean ozone profiles (8): LiO3T and ECC +/- 1 sigma  
 Right: mean relative difference LiO3T/ECC +/- 1 sigma




Mean profiles with 19 ECC, 45 DIAL and MLS between May and December 2015 (MORGANE campaign + NDACC routine measurements)


## ★ ANCILLARY COMPARAISONS : Water Vapor, Temperature and zonal wind



Water vapor Raman Lidar1200 and 5 radiosondes Modem M10



T° lidar and 2 radiosondes representative profiles



Wind lidar (45°) and a radiosonde Modem M10 (up to 40km!)