



Modeling Spatial Population Dynamics of Green Turtle (Chelonia Mydas) in the Southwest of Indian Ocean

Mayeul Dalleau, Simon Benhamou, Stéphane Ciccione, Gilles Lajoie,
Jean-Yves Georges, Jérôme Bourjea

► To cite this version:

Mayeul Dalleau, Simon Benhamou, Stéphane Ciccione, Gilles Lajoie, Jean-Yves Georges, et al.. Modeling Spatial Population Dynamics of Green Turtle (Chelonia Mydas) in the Southwest of Indian Ocean. 30th Annual Symposium on Sea Turtle Biology and Conservation, Apr 2010, Goa, India. 2010. hal-02269586

HAL Id: hal-02269586

<https://hal.univ-reunion.fr/hal-02269586>

Submitted on 23 Aug 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

MODELING SPATIAL POPULATION DYNAMICS OF GREEN TURTLE (CHELONIA MYDAS) IN THE SOUTHWEST OF INDIAN OCEAN

Mayeul Dalleau^{a,b,c,d}, Simon Benhamou^b, Stéphane Ciccione^c, Gilles Lajoie^a, Jean-Yves Georges^e, Jérôme Bourjea^d



^aCRÉGUR - Université de la Réunion, 15 avenue René Cassin, BP7151 97715 Saint-Denis Cedex9, La Réunion, France

^bCNRS - CEFE, 1919 route de Mende 34293 Montpellier Cedex 5, France

^cKÉLONIA, 46 rue du Général de Gaulle 97436 Saint-Leu, La Réunion, France

^dIFREMER, rue Jean Bertho BP 60 97 822 Le Port Cedex, La Réunion, France

^eCNRS - IPHC, 23 rue Becquerel 67087 Strasbourg, France

Contact: mayeuldalleau@kelonia.org




“Understanding green turtle population dynamics using an Individual Based Model ”

More than twenty years of active research on green turtle (*Chelonia mydas*) in the South West Indian Ocean (SWIO) have contributed to improve the knowledge of the species biology and ecology. However, lots of gaps still remain regarding the links between the main behavioral processes: alimentation, reproduction and migration, while shifts in these processes at individual scale have major impacts at population scale. On this basis, we have started implementing a spatially explicit individual-based model (IBM) to assess population dynamics of the green turtle in the SWIO. Our simulation experiment aims to unify, in a single model, alimentation, navigation and reproduction constraints as well as potential changes in foraging or breeding sites.

According to the complexity of the biological cycle of *Chelonia mydas*, individual-based modeling appears to be the most suitable method to assess:

- How important is the role played by alimentation, reproduction and migration in green turtle population dynamics
- How these three processes interact and constrain each other
- How sensitive they are regarding environment variability

individuals variability and interactions




local environment

> Individual constraints

Local interactions and local environmental conditions constrain the main processes of the biological cycle. Implementing these constraints in an integrative individual-based model will lead to a better understanding of how it affects population dynamics at the end.

> Study area



South West Indian Ocean countries. Main surveyed spots are shown in red (from West to Est) : Europa, Juan de Nova, Mohéli, Nosy Iranja, Glorieuses, Tromelin, Reunion.

1/ An integrative approach

“Field data as the basis for parameterization and validation of the model”

Active research programs in the SWIO have generated and are still generating a large number of data focused on green turtle that are integrated into the model:

- (1) Recent nesting population status and seasonality based on long-term beach tracks monitoring started in 1985
- (2) Nest parameters and activity based on yearly nest monitoring and incubation temperature since 2006,
- (3) Regional genetic structure known for the SWIO
- (4) Physiological studies conducted on captive and free-living individuals since 2007
- (5) Identified adult migration routes and juveniles open sea behavior, using at least 140 satellite tracks deployed from 2004 to 2011
- (6) Oceanographic data such as currents or sea surface temperature retrieved from physical models as well as regional fisheries data from RFMOs.

This entire set of collected data acts as the basis for realistic parameterization and validation of the model.

2/ Individual Based Modeling

“A suitable tool to model green turtle population dynamics in the light of individual traits and local interactions”

Individual-based models aim to understand ecological systems from the properties of individuals that constitute that system. They are helpful when global properties emerge from individual singularities and local interactions. Regarding the complex biological cycle of green turtles and the variability in individual traits, individual-based modeling appears to be a particularly promising tool. Indeed, sea turtles population dynamics are driven by local interactions in between individuals and between individuals and environment at breeding and foraging grounds as well as during migrations. Moreover individuals breeding at the same rookery sites are likely to feed at distinct foraging area. Similarly, individuals from multiple rookeries may be found in the same foraging area or developmental habitat. We believe that sea turtles population dynamics cannot be understood without considering these local interactions.

3/ Expectations

“Viability of green turtles stock in the South West of Indian Ocean”


Main results of our simulation experiment should lead to a fine evaluation of the viability of green turtle population in the region and also to a complete description of the underlying processes. A clear view of the link between these processes could help conservation managers to identify key levels for conservation priorities: habitats conservation and restoration, fishing by-catch, pollution, poaching and so forth.

Acknowledgments

The project is funded by
“Direction régionale de l'environnement - La Réunion”
“Terres Australes et Antarctiques Françaises”
“Kélonia, l'observatoire des tortues marines”
“IFREMER”

The PhD candidate is supported by
“Région Réunion”

The presentation is supported by
“Kélonia, l'observatoire des tortues marines”
“The 30th Sea Turtle Symposium”




Clutch and Nest Monitoring




- Egg counts and measurements
 - Hatchling counts and measurements
 - Mark-Recapture of adult females and juveniles
- Project: *TORSOOI*³

Satellite Tagging




- Post-nesting migration
- Projects: *SWIOFP*¹ and *DYMITILE*²

Environment




- Sea Surface Temperature
- Currents
- Oscillations
- Meteorology

INDIVIDUAL-BASED MODEL



Prototype Platform :
NetLogo⁴



Development Platform :
GEAMAS-NG⁵

Fisheries




- Bycatch effort assesment
 - Fishing effort assesment
- Project: *SWIOFP*¹

Physiology



- Respirometry - Accelerometry

Beach Monitoring



- Daily beach tracks count and measurement
- Project: *TORSOOI*³

References

¹South West Indian Ocean Fisheries Project (SWIOFP). <http://www.swiofp.net>.

²Migratory dynamics of sea turtle in the South-West Indian Ocean (Dymitile). <http://www.ifremer.fr/lareunion>.

³TORSOOI database : regional database and GIS for the conservation of sea turtles and their habitats in the southwest indian ocean.

⁴Wilensky, U. (1999). NetLogo. <http://ccl.northwestern.edu/netlogo>. Center for Connected Learning and Computer-Based Modeling. Northwestern University, Evanston, USA.

⁵Generic Architecture for MultiAgent Simulation - New Generation (GEAMAS-NG).