



HAL
open science

Thermal comfort analysis: comparison between model and experimental data in tropical climate

Toky Rakotoarivelo, Frédéric Miranville, Claude Gronfier, Bruno
Malet-Damour

► **To cite this version:**

Toky Rakotoarivelo, Frédéric Miranville, Claude Gronfier, Bruno Malet-Damour. Thermal comfort analysis: comparison between model and experimental data in tropical climate. CISBAT 2021, Sep 2021, Lausanne, Switzerland. hal-04318041

HAL Id: hal-04318041

<https://hal.univ-reunion.fr/hal-04318041>

Submitted on 1 Dec 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Thermal comfort analysis: comparison between model and experimental data in tropical climate

Introduction

Thermal Comfort means two things:

1. No physiological thermo-regulation
2. Hedonic feeling through thermal perception

How do we predict thermal comfort?



For the right people and the right environment

Aim: to show that there is a need to promote the studies of thermal comfort for the Reunion context

Experimental & Numerical set-up

Subjects	Age	Activity	BMI	Clothing
Students	20 to 30 years old	Desk work	16.3 to 32.7	Everyday wear

The highest response rate to the comfort questionnaires was obtained on two particular days:

April 26, 2021	April 29, 2021
Overcast Light ambiance: intermediate "Active" porosity: 13%	Clear sky (morning); overcast sky (afternoon) Light ambiance: bright (morning); intermediate (afternoon) "Active" porosity: 13%

Questionnaire

Scale	Thermal sensation	Visual sensation
+3	Hot	Glare
+2	Warm	Bright
+1	Slightly warm	slightly bright
0	Comfortable, neutral	Comfortable, neutral
-1	Slightly cool	Slightly dark
-2	Cool	Dark
-3	Cold	Very dark

The questionnaire was answered through online forms according to a normalized scale (ASHRAE)



Measurement

The apparatus gathered all physical parameters proper to the room and physiological parameters for each participant through sensors



Parameters
$T_{a_{ind}}, RH_{ind}$
T_{sk}, T_{scl}
T_g
v_a
T_a, RH



Spreadsheet

The spreadsheet was used to calculate models results with the variables measured in situ. Three types of data were obtained:

Temperature	Thermal Perception Index	Portion of Population
in [°C]	According to ASHRAE scale	in [%]

Conclusion & Perspectives


Modeling
Marked discrepancy : unsuitable approaches for the survey conditions

Experiment
Identify the least intrusive perception assessment techniques possible

Consistent results
Highlighting the inadequacy of temperate climate studies in the tropical climate context

Perspectives in modeling
Create a generic model
Build a numeric model generator

Perspective for experiment
Develop a field survey combining physics-physiology-psychology



Methods

Indoor thermal comfort models


Identification of models in the literature
Implementation of the models in a spreadsheet

Classes	Output type	Designation
Analytical models	Index	PMV
	Rate	PPD
	Index	TS
	Rate	RSI
	Temperature	T_{sub}
Empirical models	Temperature (comfort temperature)	$T_{C_{Brager \& De Dear}}$
		T_{rSI}
		$T_{C_{Aulicciems}}$
		$T_{C_{Humphreys}}$
Adaptative models	Temperature (neutrality temperature)	$T_{B_{Humphreys}}$
		$T_{B_{Aulicciems}}$
		$T_{B_{Brager \& de Dear}}$
		$T_{B_{Griffiths}}$
		$T_{B_{Nicol \& Roof}}$

Experiment on thermal perception Measurement & field survey

Realization of online questionnaires on thermal perception (ASHRAE scale)

Physical measurements of the thermal environment and skin temperatures of the occupants




Comparative analysis between Modeling & Experiments results

Results

Comfort indexes

Hourly evolution of the average comfort index (over the group)



Experiment analysis


- Sensations between "slightly cold" and "slightly warm"

Indexes analysis

- PMV (Fanger) : inappropriate (temperate climate; AC building)
- TS (Rholes and Nevins) : inappropriate (temperate climate; climatic chamber)

Comfort temperatures

Comparative analysis of average results of $T_{c_{average}}$ with $T_{op_{average}}$ and occupant perception



Experiment analysis


- Neutral situation = thermal comfort
- $T_{op_{neutral}} = 26.3 \text{ } ^\circ\text{C}$

Comfort temperatures analysis

- Brager and De Dear + Aulicciems : inappropriate
- Humphreys : most efficient, but insufficient
- Possible origins of bias : physical (relative humidity or airspeed) Or physiological (clothing, metabolic level, acclimatization) parameters : not considered

Neutrality temperatures

Evolution of T_{rSI}, T_{sub} and $T_{op_{average}}$ and occupant perception



Comfort temperatures analysis

- Aulicciems : overestimation ($\approx 4^\circ\text{C}$, different trend) probably due to relative humidity (76% in the room // 50%)
- Sharma : same trend with a difference of $1.5 \text{ } ^\circ\text{C}$ due to the climatic conditions under which this approach was developed (hot and humid climate of India)

... more results are available in the article (ID: 209) !

